LIST OF CONTENTS

VOLUME 203

Page

ALEXANDER, R. MCN., BRANDWOOD, A., CURREY, J. D. and JAYES, A. S., Symmetry and precision of control of strength in limb bones of birds 135

BAKER, J. R., Mortality and morbidity in Grey seal pups (*Halichoerus grypus*). Studies on its causes, effects of environment, the nature and sources of infectious agents and the immunological status of pups 23

BARNETT, S. A. and DICKSON, R. G., Changes among wild House mice (*Mus musculus*) bred for ten generations in a cold environment, and their evolutionary implications 163

BOARD, R. G., PERROTT, H. R., LOVE, G. and SCOTT, V. D., The phosphate-rich cover on the eggshells of grebes (Aves: Podicipitiformes) 329

BOYD, I. L., The relationship between body condition and the timing of implantation in pregnant Grey seals (*Halichoerus grypus*) 113

BURCH, S. J., LAWSON, R. and DAVIES, D. H., The relationships of cartilaginous fishes: an immunological study of serum transferrins of holocephalans and elasmobranchs 303

BURTON, G. J., Formation and fate of the corpus luteum in the Dusky leaf monkey (*Presbytis obscura*) 145

CANE, A. K. and SPEARMAN, R. I. C., Histochemistry of the tongue epithelium in four mammals with respect to keratinization 357

CURREY, J. D. and BREAR, K., Fatigue fracture of mother-of-pearl and its significance for predatory techniques 541

DOIDGE, D. W., CROXALL, J. P. and RICKETTS, C., Growth rates of Antarctic fur seal *Arctocephalus gazella* pups at South Georgia 87

EDWIN, N., Quantitative estimation of islet tissue of pancreas in adult Grey kangaroos (*Macropus fuliginosus*) 125

FREED, A. N., Foraging behaviour in the jumping spider *Phidippus audax*: bases for selectivity 49

GIBSON, D. ST. C. and DELANY, M. J., The population ecology of small rodents in Pennine woodlands 63

GORMAN, M. L., KRUUK, H. and LEITCH, A., Social functions of the sub-caudal scent gland secretion of the European badger *Meles meles* (Carnivora: Mustelidae) . . 549

GREENWOOD, P. H. and LIEM, K. F., Aspiratory respiration in *Arapaima gigas* (Teleostei, Osteoglossomorpha): A reappraisal 411

GRIFFITHS, D. J., The annual cycle of the epididymis of the elephant seal (*Mirounga leonina*) at Macquarie Island 181

GRIFFITHS, D. J., The annual cycle of the testis of the elephant seal (*Mirounga leonina*) at Macquarie Island 193

GRIFFITHS, R. A., Seasonal behaviour and intrahabitat movements in an urban population of Smooth newts, *Triturus vulgaris* (Amphibia: Salamandridae) 241

HEFETZ, A., BEN-YAACOV, R. and YOM-TOV, Y., Sex specificity in the anal gland secretion of the Egyptian mongoose *Herpestes ichneumon* 205

HEWSON, R., Changes in the numbers of foxes (*Vulpes vulpes*) in Scotland 561

HODGES, J. K., BEVAN, D. J., CELMA, M., HEARN, J. P., JONES, D. M., KLEIMAN, D. G., KNIGHT, J. A. and MOORE, H. D. M., Aspects of the reproductive endocrinology of the female Giant panda (*Ailuropoda melanoleuca*) in captivity with special reference to the detection of ovulation and pregnancy 253

HUNTER, S., Breeding biology and population dynamics of giant petrels *Macronectes* at South Georgia (Aves: Procellariiformes) 441

IYESHKO, E. P. and KAUFMAN, B. Z., Emergence of the mature trematode *Bunodera luciopercae* from infected fish under different light conditions 537

JONES, W. C., Spicule form in calcareous sponges (Porifera: Calcarea). The principle of uniplanar curvature 571

KLANDORF, H. and HARVEY, S., Changes in thyroid function and gonadotrophin activity during sexual development in ducks (Aves: Anatidae) 103

LENANTON, R. C. J., POTTER, I. C., LONERAGAN, N. R. and CHRYSTAL, P. J., Age structure and changes in abundance of three important species of teleost in a eutrophic estuary (Pisces: Teleostei) 311

MAITLAND, P. S., MORRIS, K. H., EAST, K., SCHOONOORD, M. P., VAN DER WAL, B. and POTTER, I. C., The estuarine biology of the River Lamprey, *Lampetra fluviatilis*, in the Firth of Forth, Scotland, with particular reference to size composition and feeding 211

MCNAB, B. K., Physiological convergence amongst ant-eating and termite-eating mammals 485

MOORE, H. D. M., BUSH, M., CELMA, M., GARCIA, A-L., HARTMAN, T. D., HEARN, J. P., HODGES, J. K., JONES, D. M., KNIGHT, J. A., MONSALVE, L. and WILDT, D. E., Artificial insemination in the Giant panda (*Ailuropoda melanoleuca*) . 269

MORTON, B., Adventitious tube construction in *Brechites vaginiferus* (Bivalvia: Anomalodesmata: Clavagellacea) with an investigation of the juvenile of "*Humphreyia strangei*" 461

NGOC-HO, N., The functional anatomy of the foregut of *Porcellana platycheles* and a comparison with *Galathea squamifera* and *Upogebia deltaura* (Crustacea: Decapoda) 511

NICOLOPOULOS-STOURNARAS, S. and ILES, J. F., Hindlimb muscle activity during locomotion in the rat (*Rattus norvegicus*) (Rodentia: Muridae) 427

NOTES FROM THE MAMMAL SOCIETY—No. 48. 279

A note on prey remains collected from the dens of feral mink (*Mustela vison*) in coastal habitat, by J. D. S. BIRKS and N. DUNSTONE, p. 279; A field survey for otters (*Lutra lutra*) in Yugoslavia, by G. LILES and L. JENKINS, p. 282; Apparent tail display in the otter (*Lutra lutra*), by A. WATSON, p. 284; The Yellow-necked mouse, *Apodemus flavicollis*, in Roman Manchester, by D. W. YALDEN, p. 285; Seasonal changes of sex ratio in Norway rat (*Rattus norvegicus*) populations in Wales, by P. B. KENDALL, p. 288; An estimate of the minimum body weight necessary for hedgehogs (*Erinaceus europaeus*) to survive hibernation, by P. MORRIS, p. 291; Fluctuating group size in Bat-eared foxes (*Otocyon m. megalotis*) in the southwestern Kalahari, by J. A. J. NEL, M. G. L. MILLS and R. J. VAN AARDE, p. 294; Scent dispensing papillae and associated behaviour of the Mara, *Dolichotis patagonum*, (Rodentia: Caviomorpha), by A. B. TABER and D. W. MACDONALD, p. 298.

READING, C. J., Interspecific spawning between Common frogs (*Rana temporaria*) and Common toads (*Bufo bufo*) 95
REDFORD, K. H. and DOREA, J. G., The nutritional value of invertebrates with emphasis on ants and termites as food for mammals 385
TATNER, P., Body component growth and composition of the magpie *Pica pica* . . 397
THORPE, R. S., Geographic variation in the Western grass snake (*Natrix natrix helvetica*) in relation to hypothesized phylogeny and conventional subspecies . . 345
WIIG, Ø. and LIE, R. W., An analysis of the morphological relationships between the Hooded seals (*Cystophora cristata*) of Newfoundland, the Denmark Strait, and Jan Mayen 227
YOUNG, J. Z., The statocysts of cranchiid squids (Cephalopoda) 1

INDEX

VOL. 203—Pages 1–584

[New names in ***bold italics***. Systematic references in *italics*]

aalge, Uria, 280, 281
acanthias, Squalus, 304–308
aculeatus lawesi, Tachyglossus, 486–488, 490
—— *setosus, Tachyglossus*, 487, 488, 490, 491, 507
——, *Tachyglossus*, 486
aeroginosa, Pseudomonas, 45
aethiopicus, Protopterus, 417
afer, Orycteropus, 486, 487, 489, 498
affinis, Hydrolagus, 304–308
africana, Upogebia, 529, 531
Agelaius phoeniceus, 409
agrestis, Microtus, 562
Ailuropoda melanoleuca, 253–267, 269–278
Alca torda, 280, 281
Aldrichetta forsteri, 311, 312, 317, 319, 320
Amia calva, 422
Amniataba caudavittatus, 320
Anas, 103
angustirostris, Mirounga, 24
ani, Crotophagi, 330
Antheraea mylittal, 392
Anthus, 280, 281
—— *spinoletta*, 281
Antidorcas marsupialis, 558
Apis mellifera, 392
Apisturus laurussonii, 304–308
Apodemus, 63, 64, 66–83, 285, 286
—— *flavicollis*, 83, 84, 285–288
—— *sylvaticus*, 63, 64, 285–287
—— —— *hirtensis*, 286
Arapaima, 412, 413, 416–424
—— *gigas*, 411–425
araujoi, Procornitermes, 387, 388, 390
Arctocephalus forsteri, 44, 88
—— *gazella*, 24, 87–93, 441, 443
—— *pusillus*, 44
—— *tropicalis*, 44
Ardea novaehollandiae, 325
argentatus, Larus, 279–281
argentiventer, Rattus, 391
Argyrosomus hololepidotus, 312
aries, Ovis, 280
armata, Galiteuthis, 4
armatus, Petrolisthes, 532
Armitermes, 389
—— *euamignathus*, 386, 388
aspera, Leucandra, 581
Aspergillum, 462, 463
—— *(=Brechites) dichotomum*, 473
astreptophora, Natrix natrix, 346
atlantica, Leachia, 4, 7
audax, Phidippus, 49–61
auritus, Phalacrocorax, 408
——, *Podiceps*, 329, 330
auropunctatus, Herpestes, 205
australis, Brechites (Penicillus) vaginiferus, 463
——, *Clavagella*, 470, 479
——, *Geotria*, 219, 220
Basidentitermes, 389
—— *potens*, 390
bassana, Sula, 330, 340
Bathothauma, 1, 4, 5, 7, 9, 11, 18–21
—— *lyromma*, 4, 10
bernardhus, Eupagurus, 532
Bombycomorpha pallida, 392
Bombyx mori, 392
Brachytrypes membranaceus, 392
Brechites, 461–464, 467, 469, 477–482
—— *dichotomum, Aspergillum*, 473
——, *Penicillus*, 464, 466
—— —— *vaginiferus*, 463
—— —— —— *australis*, 463
—— *penis*, 464, 467, 470, 471, 475–477, 481
—— *vaginiferus*, 461–484
britannicus, Natrix natrix, 352
bruijni, Zaglossus, 486, 489, 491
brunnea, Hyaena, 550
brunneicapillus, Campylorhynchus, 409
bucchichii, Sycandra, 581
buchholzi, Pantodon, 413
Bufo bufo, 95–101
bufo, Bufo, 95–101
bullata, Sarcophaga, 58
Bunodera luciopercae, 537–539

Cabassous centralis, 487, 489, 503
caeruleus, Parus, 399
caespitum, Tetramorium, 390
californiensis, Callianassa, 511, 517, 519, 528, 532, 533
Callianassa, 521, 532, 533
—— *californiensis*, 511, 517, 519, 528, 532, 533
Callorhinus ursinus, 24, 88
Callorhynchus callorhynchus, 304
callorhynchus, Callorhynchus, 304
calva, Amia, 422
Camponotus rufipes, 390
Campylorhynchus brunneicapillus, 409
canicula, Scyliorhinus, 304–309
capensis, Lepus, 279, 280
——, *Microparra*, 330
carba, Phalacrocorax, 325
carbonarius, Macrotermes, 390
Cardiomya, 473
Carebara, 390
—— *vidua*, 390
caspicas, Podiceps, 330
Catharacta lonnbergi, 449
caudavittatus, Amniataba, 320
Cavia porcellus, 358
Cebus, 393
centralis, Cabassous, 487, 489, 503
Centrocymnus coelolepis, 304–308
cephalus, Mugil, 311, 312, 317, 321, 322, 324
Cerina forda, 392
Cervus elaphus, 562

cetii, Natrix natrix, 346, 351
Chauliognathus, 53–57
—— *marginatus*, 50
Chimaera monstrosa, 304–308
chuni, Munidopsis, 532
ciliatum, Sycon, 572
cinerea, Neophoca, 43
Clavagella, 462–464, 466, 471, 473, 475, 479, 481
—— *australis*, 470, 479
—— *multangularis*, 464
—— *(Stirpulina)*, 464
—— —— *ramosa*, 464
Clethrionomys, 63, 64, 66, 68–79, 81–84
—— *glareolus*, 63, 64
Clupea harengus, 217
Cnidoglanis macrocephalus, 311, 312, 317, 323
coelolepis, Centrocymnus, 304–308
Coenobita perlatus, 532
colchicus, Phasianus, 280
coli, Eschericha, 45
Columba, 280
—— *livia*, 135, 136, 281
complicata, Leucosolenia, 572, 581, 583
conspicillatus, Pelecanus, 325
Cornitermes cumulans, 387, 388
corsa, Natrix natrix, 346
Cortaritermes, 389
—— silvestri, 386, 388
Corvus, 280
—— *monedula*, 281
Corynebacterium equi, 28
—— *phocae*, 28
—— *pseudodiphtheriticum*, 28
—— *pseudotuberculosis*, 28
—— *renale*, 28
Cottus scorpius, 132
Coturnix coturnix, 132
—— —— *japonica*, 408
coturnix, Coturnix, 132
—— *japonica, Coturnix*, 408
Cranchia, 4, 5, 6, 7, 16, 18, 19, 20, 21
—— *scabra*, 4, 8
crassicaudata, Manis, 487, 489, 497, 500, 503
cristata, Cystophora, 227–240
——, *Presbytis*, 146
cristatus, Podiceps, 329, 330, 333–335, 337, 338
——, *Proteles*, 486, 487, 489, 497
——, *Triturus*, 242, 248, 249
Crotophagi ani, 330
Cucurbitula, 480
cumulans, Cornitermes, 387, 388
cuniculus, Oryctolagus, 279, 280, 358, 562
Cyclopes, 487, 506, 507
—— *didactylus*, 487, 488, 494
Cystophora cristata, 227–240

Dalatias lichea, 304–308
danae, Leachia, 4, 7, 8
Dasypus novemcinctus, 391
degus, Octodon, 277
Delichon urbica, 408
deltaura, Upogebia, 511–535
detectus, Iridomyrmex, 390
dichotomum, Aspergillum (= Brechites), 473
Dicuspiditermes nemorosus, 390
didactylus, Cyclopes, 487, 488, 494
Didelphis marsupialis, 131
Diogenes diogenes, 532
diogenes, Diogenes, 532
Diomedea exulans, 443, 458
—— *melanophrys*, 459
dirus, Syntermes, 387, 388, 390
dislocata, Leachia, 4, 7, 8
Disonycha, 53–57
—— *glabrata*, 50
Dolichotis patagonum, 298–301
domestica, Felis, 358
——, *Musca*, 50, 58, 392
domesticus, Gryllus, 392
——, *Mus*, 286
——, *Passer*, 508

edwardi, Elephantulus, 488, 494
Egea, 1, 4, 5, 15, 16, 18–21
—— *inermis*, 4, 17
Eisenia rosea, 392
elaphus, Cervus, 562
Elephantulus, 494, 497, 499, 501, 506
—— *edwardi*, 488, 494
—— *rufescens*, 487, 488, 493
Enigmonia, 480
entellus, Presbytis, 145, 146, 157, 158
equestris, Polycleis, 392
equi, Corynebacterium, 28
Erinaceus europaeus, 280, 291–294
erminea, Mustela, 550
erythrorhyncus, Pelecanus, 332
Eschericha coli, 45
Esox, 420
—— *lucius*, 305, 306
euamignathus, Armitermes, 386, 388
Eufistulana, 480, 481
—— *mumia*, 480
Eupagurus bernardhus, 532
—— *norae*, 532
Euphausia superba, 87
Eupleures goudotii, 486
europaeus, Erinaceus, 280, 291–294
Euschistus, 53–57
—— *servus*, 50
exulans, Diomedea, 443, 458

falciger, Macrotermes, 390
fasciatus, Myrmecobius, 486–488, 492, 493
Felis domestica, 358
fistulosa, Leuconia, 571, 572, 575–581, 583
flavicollis, Apodemus, 83, 84, 285–288
fluviatilis, Lampetra, 211–225
——, *Perca*, 537
Foegia, 463
foraminifer, Homallotermes, 390
forda, Cerina, 392
forsteri, Arctocephalus, 44, 88
——, *Aldrichetta*, 311, 312, 317, 319, 320
frugiperda, Spodoptera, 50
fuliginosus, Macropus, 125–133
fuscipes, Rattus, 177
fuscus, Larus, 135, 136

Gadus morhua, 223
Galathea, 511, 529, 532, 533
—— *squamifera*, 511–535
Galiteuthis, 1, 4, 5, 12, 13, 18–20
—— *armata*, 4
—— *glacialis*, 4, 14
Galleria mellonella, 392
Gallus gallus, 135, 136

gallus, Gallus, 135, 136
gazella, Arctocephalus, 24, 87–93, 441, 443
geminatus, Trinervitermes, 390
Geotria australis, 219, 220
gibberorum, Orthognathotermes, 387, 388, 390
giganteus, Macronectes, 441–460
gigas, Arapaima, 411–425
glabrata, Disonycha, 50
glacialis, Galiteuthis, 4, 14
glareolus, Clethrionomys, 63, 64
Gopherus polyphemus, 377
Gorilla gorilla, 157, 158
gorilla, Gorilla, 157, 158
goudotii, Eupleures, 486
gregaria, Schistocerea, 392
Grigiotermes, 389
—— *metoecus*, 387, 388, 390
grisegena, Podiceps, 329, 330
groenlandica, Phoca, 89
groenlandicus, Pagophilus, 237
gronovianus, Natrix natrix, 352
Gryllus domesticus, 392
grypus, Halichoerus, 23–48, 92, 113–123
Guira guira, 330
guira, Guira, 330
Gymnarchus, 421
—— *niloticus*, 421, 423

Haematopus ostralegus, 280
haemolytica, Pasteurella, 45
Halichoerus grypus, 23–48, 92, 113–123
Haliclona, 583
halli, Macronectes, 441–460
hamadryas, Papio, 157–159
hamiltoni, Mesonychoteuthis, 4, 14
harengus, Clupea, 217
Helarctos, 508
Helicocranchia, 4, 5, 7, 9, 11, 18–20
—— *papillata*, 4, 10, 11
—— *pfefferi*, 4, 10, 11
hellicosus, Macrotermes, 390
Helogale undulata, 550
helvetica, Natrix natrix, 345–355
helveticus, Triturus, 242, 248
Herpestes auropunctatus, 205
—— *ichneumon*, 205–209, 558
Heterotis, 418, 420, 421, 423, 424
—— *niloticus*, 413
hirtensis, Apodemus sylvaticus, 286
Hirundo rustica, 408
hololepidotus, Argyrosomus, 312
Homallotermes foraminifer, 390
Homo sapiens, 157, 158
hooheii, Phocarctos, 43
Humphreyia, 462–464, 466
—— *strangei*, 461–484
Hyaena brunnea, 550
hydrochaeris, Hydrochoerus, 300
Hydrochoerus hydrochaeris, 300
Hydrolagus affinis, 304–308
Hylobates lar, 157
Hyporamphus, 312

ichneumon, Herpestes, 205–209, 558
inermis, Egea, 4, 17
Iridomyrmes detectus, 390

jalorensis, Rattus, 391
japonica, Coturnix coturnix, 408
——, *Lampetra*, 215
javanicus, Manis, 487, 488, 496, 500, 503

Lachnosterna, 392
Lampetra fluviatilis, 211–225
—— *japonica*, 215
—— *planeri*, 212, 221
lanzai, Natrix natrix, 346
lar, Hylobates, 157
Larus argentatus, 279–281
—— *fuscus*, 135, 136
—— *ridibundus*, 280
larvatus, Nasalis, 160
Laternula, 473
laticaudatus, Rhinosciurus, 486
laurussonii, Apisturus, 304–308
lawesi, Tachyglossus aculeatus, 486–488, 490
Leachia, 4, 5, 6, 18–20
—— *atlantica*, 4, 7
—— *danae*, 4, 7, 8
—— *dislocata*, 4, 7, 8
Leipoa ocellata, 330
leonina, Mirounga, 44, 181–191, 193–204
Lepidosiren, 422
Lepisosteus, 422
Lepus capensis, 279, 280
Leucandra aspera, 581
Leuconia fistulosa, 571, 572, 575–581, 583
Leucosolenia complicata, 572, 581, 583
Liguriella, 4, 5, 7, 9, 11, 18–20
—— *podophthalma*, 4, 10
Liocranchia, 4, 5, 6, 7, 8, 19, 20
—— *rheinhardtii*, 4, 8
—— *valdiviae*, 4
lichea, Dalatias, 304–308
livia, Columba, 135, 136, 281
Locustana, 392
Loligo, 2, 3, 7, 18
longicornis, Porcellana, 512, 513
——, —— (=*Pisidia*), 511
lonnbergi, Catharacta, 449
luciopercae, Bunodera, 537–539
lucius, Esox, 305, 306
Lumbricus rubellus, 392
—— *terrestris*, 392
Lutra lutra, 282–285, 550
lutra, Lutra, 282–285, 550
lyromma, Bathothauma, 4, 10

Macaca mulatta, 157, 158
macrocephalus, Cnidoglanis, 311, 312, 317, 323
Macronectes, 441–460
—— *giganteus*, 441–460
—— *halli*, 441–460
Macropus fuliginosus, 125–133
Macroscelides proboscideus, 487, 493, 494
Macrotermes carbonarius, 390
—— *falciger*, 390
—— *hellicosus*, 390
Manis, 486
—— *crassicaudata*, 487, 489, 497, 500, 503
—— *gigantea*, 496
—— *javanicus*, 487, 488, 496, 500, 503
—— *tricuspis*, 488, 496, 500, 503
margaritifera, Pinctada, 541–548
marginatus, Chauliognathus, 50
marinus, Petromyzon, 212, 220
marsupialis, Antidorcas, 558
——, *Didelphis*, 131

Mastigoteuthis, 2, 3
matacus, Tolypeutes, 487, 488
maximus, Priodontes, 487, 489, 500
Megalocranchia, 1, 4, 5, 15–20
megalops, Teuthowenia, 4, 17
megalotis megalotis, Otocyon, 294–298
——, *Otocyon*, 486
——, —— *megalotis*, 294–298
melalophos, Presbytis, 159
melanoleuca, Ailuropoda, 253–267, 269–278
melanophrys, Diomedea, 459
Melanophus, 392
meleagris, Numidia, 340
Meles meles, 549–559
meles, Meles, 549–559
mellifera, Apis, 392
mellonella, Galleria, 392
Melursus, 508
—— *ursinus*, 486
membranaceus, Brachytrypes, 392
Mesonychoteuthis, 1, 4, 5, 11–13, 16, 18–20
—— *hamiltoni*, 4, 14
metoecus, Grigiotermes, 387, 388, 390
mexicana, Tamandua, 487, 489, 494, 495, 503
Microparra capensis, 330
Microtus agrestis, 562
minor, Podiceps, 330
Mirounga, 92
—— *angustirostris*, 24
—— *leonina*, 44, 181–191, 193–204
molitor, Tenebrio, 392
Monachus schauinslandi, 44
monedula, Corvus, 281
monstrosa, Chimaera, 304–308
morhua, Gadus, 223
mori, Bombyx, 392
Mugil cephalus, 311, 312, 317, 321, 322, 324
mulatta, Macaca, 157, 158
multangularis, Clavagella, 464
multocida, Pasteurella, 45
numia, Eufistulana, 480
Munida rugosa, 532
Munidopsis chuni, 532
Mus, 286, 287
—— *domesticus*, 286
—— *musculus*, 163–180, 286, 358, 364, 380
Musca, 53–57
—— *domestica*, 50, 58, 392
musculus, Mus, 163–180, 286, 358, 364, 380
Mustela erminea, 550
—— *vison*, 279–281
mylittal, Antheraea, 392
Myrmecobius, 487, 492, 500, 502, 506, 507
—— *fasciatus*, 486–488, 492, 493
Myrmecophaga, 393, 496, 499–503, 507, 508
—— *tridactyla*, 388, 487, 489, 495, 496, 500

Nasalis larvatus, 160
Nasutitermes, 386, 388
Natrix natrix, 345, 346
—— —— *astreptophora*, 346
—— —— *britannicus*, 352
—— —— *cetti*, 346, 351
—— —— *corsa*, 346
—— —— *gronovianus*, 352
—— —— *helvetica*, 345–355
—— —— *lanzai*, 346
—— —— *natrix*, 346
—— —— *sicula*, 346
—— —— *siculus*, 352
natrix astreptophora, Natrix, 346
—— *britannicus, Natrix*, 352
—— *cetti, Natrix*, 346, 351
—— *corsa, Natrix*, 346
—— *gronovianus, Natrix*, 352
—— *helvetica, Natrix*, 345–355
—— *lanzai, Natrix*, 346
——, *Natrix*, 345, 346
——, —— *natrix*, 346
—— *natrix, Natrix*, 346
—— *sicula, Natrix*, 346
—— *siculus, Natrix*, 352
Nematalosa vlaminghi, 312
nemorosus, Dicuspiditermes, 390
Neophoca, 43
—— *cinerea*, 43
Nephrops, 532
—— *norvegicus*, 517, 532
nerka, Onchorhynchus, 325
nigricollis, Podiceps, 329, 330
niloticus, Gymnarchus, 421, 423
——, *Heterotis*, 413
——, *Varanus*, 132
Nomadacris septemfasciata, 392
norae, Eupagurus, 532
norvegicus, Nephrops, 517, 532
——, *Rattus*, 280, 288–291, 358–380, 427–440
novaehollandiae, Ardea, 325
novemcinctus, Dasypus, 391
Numidia meleagris, 340

obscura, Presbytis, 145–162
ocellata, Leipoa, 330
Octodon degus, 277
Onchorhynchus nerka, 325
orissa, Sternocera, 392
Orthognathotermes, 389
—— *gibberorum*, 387, 388, 390
Orycteropus, 499, 503, 508
—— *afer*, 486, 487, 489, 498
Oryctolagus cuniculus, 279, 280, 358, 562
Osteoglossum, 420, 424
ostralegus, Haematopus, 280
Otocyon megalotis, 486
—— —— *megalotis*, 294–298
Ovis aries, 280
Oxya, 392
Oxymycterus, 393, 497, 499–501, 506
—— *roberti*, 388, 486–488, 497, 498

Pagophilus groenlandicus, 237
Pagurus prideauxi, 532
pallida, Bombycomorpha, 392
Pan troglodytes, 158
Pantodon, 418, 420, 421, 423, 424
Pantodon buchholzi, 413
papillata, Helicocranchia, 4, 10, 11
Papio hamadryas, 157–159
—— *porcarius*, 157, 158
papua, Pygoscelis, 459
paranensis, Schistocerea, 392
Parapagurus pilosimanus, 532
Parus caeruleus, 399
Passer domesticus, 408
Pasteurella haemolytica, 45
—— *multocida*, 45
patagonum, Dolichotis, 298–301
paucipilis, Velocitermes, 386, 388

pavo, Taonius, 4, 14
Pelecanus conspicillatus, 325
—— *erythrorhynchus*, 332
Penicillus, 462, 463
—— *(=Brechites)*, 464, 466
(——) vaginiferus australis, Brechites, 463
(——), ——, Brechites, 463
penis, Brechites, 464, 467, 470, 471, 475–477, 481
Perca fluviatilis, 537
Perdix perdix, 280
perdix, Perdix, 280
perlatus, Coenobita, 532
Petrodromus, 506
—— *tetradactylus*, 487, 488, 493, 494
Petrolisthes armatus, 532
Petromyzon marinus, 212, 220
pfefferi, Helicocranchia, 4, 10, 11
Phalacrocorax auritus, 408
—— *carba*, 325
—— *sulcirostris*, 325
—— *varius*, 325
Phasianus colchicus, 280
Phidippus, 50, 54, 59
—— *audax*, 49–61
Phoca groenlandica, 89
—— *vitulina*, 41
phocae, Corynebacterium, 28
Phocarctos, 43
—— *hooheii*, 43
phoeniceus, Agelaius, 409
Phoenicopterus ruber roseus, 330
Pholadomya, 480, 481
Phormia regina, 58
Pica pica, 397–410
pica, Pica, 397–410
pilosimanus, Parapagurus, 532
Pinctada margaritifera, 541–548
(=Pisidia) longicornis, Porcellana, 511
Pisidium, 539
planeri, Lampetra, 212, 221
platycheles, Porcellus, 511–535
Podiceps auritus, 329, 330
—— *caspicas*, 330
—— *cristatus*, 329, 330, 333–335, 337, 338
—— *grisegena*, 329, 330
—— *minor*, 330
—— *nigricollis*, 329, 330
—— *poliocephalus*, 325
podiceps, Podilymbus, 329, 330
Podilymbus podiceps, 329, 330
podophthalma, Liguriella, 4, 10
poliocephalus, Podiceps, 325
Polycleis equestris, 392
polyphemus, Gopherus, 377
Pomatomus saltator, 312
Pongo pygmaeus, 158
porcarius, Papio, 157, 158
Porcellana, 519, 521, 528, 529, 531–533
—— *longicornis*, 512, 513
—— *(=Pisidia) longicornis*, 511
Porcellus platycheles, 511–535
porcellus, Cavia, 358
Poromya, 473
potens, Basidentitermes, 390
Presbytis, 145
—— *cristata*, 146
—— *entellus*, 145, 146, 157, 158
—— *melalophos*, 159
—— *obscura*, 145–162
prideauxi, Pagurus, 532
Priodontes, 500, 503
—— *maximus*, 487, 489, 500
proboscideus, Macroscelides, 487, 493, 494
Procornitermes araujoi, 387, 388, 390
Proteles, 499, 500, 502, 503, 507, 508
—— *cristatus*, 486, 487, 489, 497
Protopterus, 422
—— *aethiopicus*, 417
pseudodiphtheriticum, Corynebacterium, 28
Pseudomonas aeroginosa, 45
pseudotuberculosis, Corynebacterium, 28
pugettensis, Upogebia, 511, 533
punctatus, Sillaginodes, 312
pusillus, Arctocephalus, 44
pygmaeus, Pongo, 158
Pygoscelis papua, 459

ramosa, Clavagella (Stirpulina), 464
Rana temporaria, 95–101
Rattus argentiventer, 391
—— *fuscipes*, 177
—— *jalorensis*, 391
—— *norvegicus*, 280, 288–291, 358–380, 427–440
regina, Phormia, 58
renale, Corynebacterium, 28
rheinhardtii, Liocranchia, 4, 8
Rhinosciurus laticaudatus, 486
ridibundus, Larus, 280
Riparia riparia, 408
riparia, Riparia, 408
roberti, Oxymycterus, 388, 486–488, 497, 498
rosea, Eisenia, 392
roseus, Phoenicopterus ruber, 330
rubellus, Lumbricus, 392
ruber roseus, Phoenicopterus, 330
rufescens, Elephantulus, 487, 488, 493
ruficollis, Tachybaptus, 329, 330
rufipes, Camponotus, 390
rugosa, Munida, 532
rustica, Hirundo, 408
rusticola, Scolopax, 280

salar, Salmo, 305, 306
Salmo salar, 305, 306
—— *trutta*, 305, 306
saltator, Pomatomus, 312
Sandalops, 4, 5, 7, 9–11, 18–20
sapiens, Homo, 157, 158
Sarcophaga bullata, 58
Saterna, 280
scabra, Cranchia, 4, 8
schauinslandi, Monachus, 44
Schistocerea gregaria, 392
—— *paranensis*, 392
schomburghii, Sillago, 312
Scleropages, 420, 424
Scolopax rusticola, 280
scorpius, Cottus, 132
Scyliorhinus canicula, 304–309
septemfasciata, Nomadacris, 392
servus, Euschistus, 50
setosus, Tachyglossus aculeatus, 487, 488, 490, 491, 507
sicula, Natrix natrix, 346
siculus, Natrix natrix, 352
Sillaginodes punctatus, 312
Sillago schomburghii, 312
silvestri, Cortaritermes, 386, 388

spinoletta, Anthus, 281
Spodoptera, 53–57
—— *frugiperda*, 50
Sprattus sprattus, 217
sprattus, Sprattus, 217
Squalus acanthias, 304–308
squamifera, Galathea, 511–535
Sternocera orissa, 392
Stirpulina, 464
(——), Clavagella, 464
(——) ramosa, Clavagella, 464
strangei, Humphreyia, 461–484
Sula bassana, 330, 340
sulcirostris, Phalacrocorax, 325
superba, Euphausia, 87
Sycandra bucchichii, 581
Sycon ciliatum, 572
sylvaticus, Apodemus, 63, 64, 285–287
—— *hirtensis, Apodemus*, 286
Syntermes dirus, 387, 388, 390

Tachybaptus ruficollis, 329, 330
Tachyglossus, 490, 491, 500, 502, 503
—— *aculeatus*, 486
—— —— *lawesi*, 486–488, 490
—— —— *setosus*, 487, 488, 490, 491, 507
Tamandua, 486, 487, 502, 507
—— *mexicana*, 487, 489, 494, 495, 503
—— *tetradactyla*, 487, 489, 494, 495, 503
Taonius, 1, 4, 5, 11–14, 18–20
—— *pavo*, 4, 14
Taricha, 249
temporaria, Rana, 95–101
Tenebrio molitor, 392
Termes, 390
terrestris, Lumbricus, 392
tetradactyla, Tamandua, 487, 489, 494, 495, 503
tetradactylus, Petrodromus, 487, 488, 493, 494
Tetramorium caespitum, 390
Teuthowenia, 1, 4, 5, 15, 16, 20
—— *megalops*, 4, 17
Tolypeutes, 500, 503
—— *matacus*, 487, 488
torda, Alca, 280, 281
Trichosurus vulpecula, 131
tricuspis, Manis, 488, 496, 500, 503
tridactyla, Myrmecophaga, 388, 487, 489, 495, 496, 500
Trinervitermes geminatus, 390
Triturus, 242, 248
—— *cristatus*, 242, 248, 249
—— *helveticus*, 242, 248
—— *vulgaris*, 241–251
troglodytes, Pan, 158
tropicalis, Arctocephalus, 44
trutta, Salmo, 305, 306

undulata, Helogale, 550
Upogebia, 532, 533
—— *africana*, 529, 531
—— *deltaura*, 511–535
—— *pugettensis*, 511, 533
urbica, Delichon, 408
Uria aalge, 280, 281
ursinus, Callorhinus, 24, 88
——, *Melursus*, 486

vaginiferus australis, Brechites (Penicillus), 463
——, *Brechites*, 461–484
——, —— *(Penicillus)*, 463
valdiviae, Liocranchia, 4
Vampyrotheuthis, 2
Vanellus vanellus, 280
vanellus, Vanellus, 280
Varanus niloticus, 132
varinus, Phalacrocorax, 325
Velocitermes paucipilis, 386, 388
vidua, Carebara, 390
vison, Mustela, 279–281
vitulina, Phoca, 41
vlaminghi, Nematalosa, 312
vulgaris, Triturus, 241–251
vulpecula, Trichosurus, 131
Vulpes vulpes, 561–569
vulpes, Vulpes, 561–569

Zaglossus, 491, 492, 500, 503, 507
—— *bruijni*, 486, 489, 491